Agr Ref
11
131870
Agr.
3
1
Ag84F

U. S. DEPARTMENT OF AGRICULTURE
OFFICE OF INFORMATION
DIVISION OF PUBLICATIONS

LIBRARY
MAY 11 1929
U. S. DEPARTMENT OF AGRICULTURE

FARMERS' BULLETINS
Nos. 1526-1550

WITH CONTENTS

PREPARED IN THE INDEXING SECTION

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON: 1929

48

348601

CONTENTS

	Page
FARMERS' BULLETIN No. 1526.—CLEARING LAND OF BRUSH AND STUMPS:	
Introduction	1
Need for clearing land	2
Disposal of the brush	3
Grazing	3
Cutting and burning	5
Plowing	11
Stump removal	13
Grubbing	13
Burning	14
Pulling	19
Blasting	26
Decay	27
Disposal of the stump	29
Selection of land-clearing method	33
FARMERS' BULLETIN No. 1527.—PEACH BROWN ROT AND SCAB:	
Distribution and economic importance	1
Brown rot	2
Scab	4
Preventive measures	6
Removing sources of infection	6
Thinning the fruits	7
Spraying and dusting	7
Spraying and dusting schedules	9
Additional applications	10
Spray mixtures	11
Self-boiled lime-sulphur mixture	11
Substitutes for the self-boiled lime-sulphur mixture	12
Arsenate of lead	14
Dusts	14
FARMERS' BULLETIN No. 1528.—THE CONTROL OF THE ALFALFA WEEVIL:	
Introduction	1
Description of the alfalfa weevil	1
Habits of the weevil	3
The alfalfa weevil in Europe	7
History in America	7
Food plants	10
Control	10
Conclusion	22
FARMERS' BULLETIN No. 1529.—SPRAY IRRIGATION IN THE EASTERN STATES:	
Purpose of irrigation in the Eastern States	1
Kinds of irrigation	1
Types of spray-irrigation systems	2
Water supplies	4
Planning a spray-irrigation system	5
Installing the system	16
Cost of spray irrigation	20
A typical small spray-irrigation system	22
Operation and upkeep	25
Profits from spray irrigation	26
FARMERS' BULLETIN No. 1530.—FITTING DRESSES AND BLOUSES:	
Selection of patterns and materials	2
Cutting	4
Preparation for fitting	4

Page

FARMERS' BULLETIN No. 1530.—FITTING DRESSES AND BLOUSES—Con.
Fitting 6
Fitting the shoulders 7
Fitting the neck 10
Fitting the bust, hips, and other parts of the trunk 14
Fitting the arms 21

FARMERS' BULLETIN No. 1531.—THE TOBACCO BUDWORM AND ITS CONTROL IN THE GEORGIA AND FLORIDA TOBACCO-GROWING REGION:
A destructive tobacco pest 1
Description, life history, and habits 1
Nature of the injury 2
Seasonal history 3
Food plants 3
Natural enemies 4
Control 4

FARMERS' BULLETIN No. 1532.—DAIRY-HERD IMPROVEMENT THROUGH COOPERATIVE BULL ASSOCIATIONS:
Introduction 1
How bull associations have grown in number 2
What bull associations are accomplishing 3
The daughters of a hundred sires 5
Is the proposition bankable? 6
Testing for production 8
Not more but better dairy cows 8
Bull association keeps the best 9
How to organize 9
Who should join 10
Bull association blocks 10
Selection of bulls 11
One breed for each association 11
Bull association pictured 11
A great loss in dairying 12
Looking forward 13
Summary 14

FARMERS' BULLETIN No. 1533.—RAT CONTROL:
Permanent exclusion of rats 1
Rat proofing 1
Removal of shelter 2
Cutting off the rats' food supply 4
Destruction of rats 4
Poisoning 4
Fumigating 10
Trapping 14
Use of viruses 17
Deterrents 18
Deodorants 18
Natural enemies of rats 18
Community cooperation in rat control 19
Antirat legislation 20
Summary 20

FARMERS' BULLETIN No. 1534.—SHORTLEAF PINE PRIMER:
Growing shortleaf pine as a crop 1
Growth of trees 3
Scaling logs 7
Estimating standing timber 9
Timber production per acre 12
Thinning growing pines 15
Cutting the crop of pine 19
Selling timber 23
Reforestation by natural seeding 26
Reforestation by sprouting 27
Reforestation by planting small trees 28
Protection of the growing crop 37

FARMERS' BULLETIN No. 1535.—FARM HORSESHOEING:
The need for shoeing farm horses 1
The growth of the hoof 2

FARMERS' BULLETIN NO. 1535.—FARM HORSESHOEING—Continued. Page
Trimming the colt's feet 3
Trimming the foot for shoeing 4
Fitting the shoe 5
Nailing 8
Ready-to-wear shoes 10
Rubber shoes and rubber hoof pads 12
FARMERS' BULLETIN NO. 1536.—INFECTIOUS ABORTION OF CATTLE:
Abortion widely prevalent 1
Nature of the disease 1
Causative agent 2
Location of *Bacillus abortus* in infected animals 3
How and when the disease is acquired 4
Symptoms 5
Diagnosis 7
Treatment 7
Prevention 7
How to deal with infected herds 8
Sanitary management 9
Immunity 11
Retained afterbirth 12
Sterility (barrenness) 13
Abortion in other animals 14
FARMERS' BULLETIN NO. 1537.—JOHNSON GRASS AS A WEED:
Where Johnson grass is most troublesome 1
Rootstock habits of Johnson grass 1
Influence of farming systems on rootstock development 2
Methods of controlling Johnson grass 4
Close pasturing or mowing, followed by shallow plowing and tilled crops 5
Intensive tillage practices 8
Miscellaneous methods of control 9
FARMERS' BULLETIN NO. 1538.—INCUBATION AND BROODING OF CHICKENS:
Replacing the flock 1
Incubation 2
Time to hatch 2
Sanitation in incubation 4
Selecting hatching eggs 4
Hatching with hens 5
Hatching with incubators 7
Buying day-old chicks 14
Brooding 14
Sanitation in brooding 15
Brooding chickens with hens 15
Artificial brooding 17
Brooder houses 22
Brooding chicks in confinement 24
Necessary precautions 25
Probable causes of poor results in brooding 25
Care of chicks after the brooding season 26
FARMERS' BULLETIN NO. 1539.—HIGH-GRADE ALFALFA HAY: METHODS OF PRODUCING, BAILING, AND LOADING FOR MARKET:
Insufficient supplies of high-grade alfalfa hay for dairy use 1
High-grade alfalfa hay is a profitable cash crop 2
Market prices for high-grade and low-grade alfalfa hay 2
Characteristics of high-grade alfalfa hay 2
Causes of low-grade alfalfa hay 3
Good stand necessary to produce high-grade alfalfa hay 4
Clean meadows 4
Weather damage 4
Grade affected by time of cutting 5
Curing methods to preserve leafiness and color 7
Methods of handling alfalfa hay from windrow 10
Storage of loose hay to resist weather damage 14
Baling practice 18
Piling bales of unsweated hay 21
Loading cars 22

XUM

Page

FARMERS' BULLETIN NO. 1540.—SMUTS OF WHEAT AND RYE AND THEIR CONTROL:
Introduction 1
Smuts of wheat 2
Stinking smut or bunt 2
Loose smut 10
Flag smut 12
Smuts of rye 15
Stem smut 16
FARMERS' BULLETIN NO. 1541.—FEEDING CHICKENS:
Nutrition and metabolism 1
Composition of feeds important 2
Requirements of satisfactory rations 2
Protein requirements 3
Vitamin requirements 3
Mineral requirements 3
Fat and carbohydrate requirements 5
Basic principles of feeding 5
Feeding chicks 7
Feeding market poultry 11
Feeding broilers 11
Fattening roasters 12
Fattening capons 14
Fattening old hens and cocks 15
Feeding laying hens 15
Important factors in egg production 15
Feed requirements 16
Recommended rations for laying stock 18
Feeding practices 20
Artificial lights 21
Feeding breeding stock 22
FARMERS' BULLETIN NO. 1542.—CLEANING GRAIN ON FARMS AND IN COUNTRY ELEVATORS:
Losses from weeds in grain 1
How weeds and dockage cause losses 4
Loss in North Dakota from wheat dockage 5
Loss in Minnesota from flaxseed dockage 7
Causes of dockage 8
Prevention of dockage 9
Destroying weed seeds in the soil 9
Eliminating weeds before they form seeds 10
Eliminating weed seeds from seed grain 10
Utilizing the dockage 10
Gains from cleaning grain before marketing 11
Kinds of weeds in grain 13
Grain cleaners 13
Sieve and air machines 13
Kicker or angle-sieve machines 18
Pocket machines 20
Spiral gravity separators 20
Cloth wild-oat separators 25
Specific gravity separators 25
Ring graders 25
Barley reels 26
FARMERS' BULLETIN NO. 1543.—INSECTS INJURIOUS TO THE RICE CROP:
The rice stinkbug 1
Description 2
Life history and habits 2
Control 4
The rice water weevil 4
Description 5
Life history and habits 6
Control 7
Borers in rice 8
Description 8
Life history and habits 10
Control 11

Page

FARMERS' BULLETIN NO. 1543.—INSECTS INJURIOUS TO THE RICE CROP:
Minor insect pests 12
Insects in California rice fields 15
Summary of control measures 15

FARMERS' BULLETIN NO. 1544.—THE COMMON BARBERRY AND BLACK STEM RUST:
Barberry causes enormous losses 1
The common barberry an outlaw 3
Farmers long ago convicted barberries of spreading rust 3
How barberry spreads rust 4
Billions of rust spores on one barberry bush 9
One barberry may spread rust for many miles 9
How barberries can spread rust for long distances 13
Millions of barberry bushes in grain-growing States 14
The common barberry running wild 14
Barberry the only plant which carries the spring stage of the rust 15
Barberries rust most heavily in Northern States 17
Rust blown into the Northern States from the South 17
Why grain near barberry bushes does not always rust 18
Weather and rust 18
Harmful and harmless barberries 19
Are native barberries a menance? 19
Barberry eradication in the United States 21
Millions of barberry bushes already destroyed 22
Barberry eradication has reduced rust losses in the United States 22
Barberry eradication reduced rust losses in Europe 24
Other methods of reducing rust losses 25
Kill the barberry with salt or kerosene 25
Many barberries yet to be killed 26
Kill the common barberry and protect future grain crops 27

FARMERS' BULLETIN NO. 1545.—DRY-FARMING METHODS AND PRACTICES IN WHEAT GROWING IN THE COLUMBIA AND SNAKE RIVER BASINS:
Dry-farming districts in the Pacific Northwest 1
Sources of information 2
Description of the region 2
Purpose of summer fallowing 3
Possibility of increasing wheat yields 4
Some results at the Moro station 5
Some results at the Lind station 8
Methods of summer fallowing 10
Methods for use on nonblow soils 10
Methods for use on blow soils 14
Preventing the blowing of soils 15
Suggestions for stopping soil blows 17
Seeding winter wheat 17
Seeding spring wheat 18
Use of large power units 19
Maintaining the organic matter of the soil 20

FARMERS' BULLETIN NO. 1546.—SYSTEMS OF LIVESTOCK FARMING IN THE BLACK PRAIRIE BELT OF ALABAMA AND MISSISSIPPI:
Description of the area 1
Location and extent of the area 1
Soils of the Black Prairie Belt 1
Agriculture of the area 3
Land utilization 4
Farm organization 4
Possibilities for agricultural readjustment 5
Johnson grass hay as a cash crop 5
Livestock production 9
Pasture as a basis for livestock production 9
Market milk and cream production 12
Beef-cattle production 15
Early-lamb production 18
Hog production 22
Poultry production 22

XUM

Page

FARMERS' BULLETIN NO. 1546.—SYSTEMS OF LIVESTOCK FARMING IN THE BLACK PRAIRIE BELT OF ALABAMA AND MISSISSIPPI—Continued.
Suggested systems of farming for the Black Prairie Belt 22
Systems with dairying as the principal enterprise 23
A 100-acre dairy farm with 25 cows 25
A 400-acre dairy, sheep, and hay farm 27
An 800-acre dairy, sheep, hay, and cotton farm 28
A 1,200-acre dairy, sheep, hay, and cotton farm 29
Systems with beef cattle as the principal enterprise 30
A 600-acre beef-cattle, sheep, hay, and cotton farm 31
A 1,200-acre beef-cattle, sheep, hay, and cotton farm 33
Conclusion 34
Alabama and Mississippi publications 34
FARMERS' BULLETIN NO. 1547.—ROSE DISEASES: THEIR CAUSES AND CONTROL:
Introduction 1
Conditions of growth 1
Organisms causing disease 2
Leaf diseases 2
Powdery mildew 2
Black spot 4
Control of mildew and black spot out of doors 4
Control of mildew and black spot in the greenhouse 7
Rust 7
Leaf spot 9
Stem diseases 11
Stem canker 11
Brand canker 12
Brown canker 13
Cane blight 14
Crown canker 15
Graft canker 17
Crown gall 18
Blossom blight 19
FARMERS' BULLETIN NO. 1548.—THE EUROPEAN CORN BORER: ITS PRESENT STATUS AND METHODS OF CONTROL:
History of the corn borer in the United States 2
Distribution in North America 2
In the United States 2
In the Dominion of Canada 3
How the corn borer reached the United States 4
Corn is the favorite host of the corn borer in this country 4
In the Middle West 5
Plants infested by the corn borer in New England 6
Character of injury caused by the corn borer 7
Character of injury to plants other than corn in New England 9
Description and seasonal history of the corn borer 11
Extent of crop loss caused by the corn borer 16
In the Middle West 16
In Canada 17
In New England 18
In Europe 19
Natural enemies of the corn borer 19
Insect parasites 19
Birds 22
The Federal quarantine against the corn borer 22
Methods of control in the Middle West 23
Feeding infested plants to livestock 25
Plow clean for corn-borer control 28
Burning infested plants 32
Disking cornfields is not an effective control 38
Corn stubble an important source of reinfestation 40
Control methods that may be useful under some conditions 40
Ineffective measures 41
Methods of control in New England 42

Page

FARMERS' BULLETIN NO. 1548.—THE EUROPEAN CORN BORER: ITS PRESENT STATUS AND METHODS OF CONTROL—Continued.
Caterpillars often mistaken for the European corn borer 42
The corn earworm 43
The stalk borer 44
The smartweed borer 44
The larger cornstalk borer 45
Summary of control methods 46
FARMERS' BULLETIN NO. 1549.—FEEDING CATTLE FOR BEEF:
Successful cattle feeding 1
Two methods of fattening cattle 1
The supply of feeder cattle 2
Selecting feeders 3
Time to buy feeders 4
Dry-lot feeding 5
Desirable feed combinations 5
Feed required to fatten steers in dry lot 6
Starting cattle on feed 7
Suggested rations 8
Fattening on grass 10
Supplementary feeds for steers on grass 11
Feeding supplements to suckling calves 12
Minerals for fattening cattle 13
Feed-lot equipment 13
FARMERS' BULLETIN NO. 1550.—GAME LAWS FOR THE SEASON 1927–28: A SUMMARY OF FEDERAL, STATE, AND PROVINCIAL STATUTES:
Officials from whom copies of game laws may be obtained ii
Federal protection of game 1
Review of legislation of 1927 3
Federal laws relating to migratory birds 8
Summary of laws relating to seasons, licenses, limits, possession, interstate transportation, and sale 11
State laws 12
Canada 38
Newfoundland 43
Mexico 43
Imported game and game raised in captivity 45

○

XUM